"PART 84.—DIESEL (	)IL.   (2)	(3)
Price per metric ton ex warehouse in drums	Price per metric ton delivered in bulk to customers' premises	Price ex warehouse in drums for any quantity less than 1 (one) metric ton.
£9. 17s.	£9. 11s.	Proportionately to the price in column (1).
sales or purch time or at any shall provide t	asses of not less than single transaction, on their own storage."	olumn (2) shall apply to 4 metric tons at any one condition that purchasers
"PART 85.—FURNACE	(2)	(3)
Price per metric ton ex warehouse in drums	Price per metric ton delivered in bulk to customers' premises	Price ex warehouse in drums for any quantity less than 1 (one) metric ton.
£8. 4s.	£7. 18s.	Proportionately to the price in column (1)

Modification:—Provided that the price in column (2) shall apply to sales or purchases of not less than 4 metric tons at any one time or at any single transaction, on condition that purchasers shall provide their own storage."

P. P. TAYLOR, Controller of Supplies, Transport & Marketing, Competent Authority.

## No. 131. THE DEFENCE (HEATERS CONTROL) ORDERS, 1944 AND 1945...

NOTIFICATION UNDER CLAUSE 3 (1).

In exercise of the powers vested in me under clause 3 (1) of the Defence (Heaters Control) Orders, 1944 to (No. 2) 1945, I hereby declare the 1st June, 1947, to be the date from and after which no person shall erect, use or work within the area of Kyrenia district, any wood burning heater of the following type without a licence from me, that is to say:

Kilns for burning gypsum.

M. Tingherides, Fuel and Charcoal Controller.

## No. 132. The Irrigation Divisions (Villages) Laws, 1938 and 1944.

In pursuance of the provisions of section 19 of the Irrigation Divisions (Villages) Laws, 1938 and 1944, the following rules made by the Committee of the Irrigation Division of Kaimakli No. 2, in the District of Nicosia, are published in the Gazette. (M.P. 434/45.)

IRRIGATION DIVISION OF KAIMAKLI No. 2.

Rules.

1. These rules may be cited as the Irrigation Division of Kaimakli No. 2 Rules, 1947.