

## Αριθμός 438

## Ο ΠΕΡΙ ΤΥΠΟΠΟΙΗΣΗΣ, ΔΙΑΠΙΣΤΕΥΣΗΣ ΚΑΙ ΤΕΧΝΙΚΗΣ ΠΛΗΡΟΦΟΡΗΣΗΣ ΝΟΜΟΣ ΤΟΥ 2002

Γνωστοποίηση βάσει του Άρθρου 5 του Νόμου 156(Ι)/2002

Με το παρόν γνωστοποιείται ότι με βάση το Άρθρο 5 του Νόμου 156(Ι) του 2002 που ρυθμίζει τις δραστηριότητες της Τυποποίησης, Διαπίστευσης και Τεχνικής Πληροφόρησης, ο Κυπριακός Οργανισμός Τυποποίησης δημοσιεύει ως Κυπριακά πρότυπα τα πιο κάτω Ευρωπαϊκά πρότυπα:

**STANDARDS FROM EUROPEAN COMMITTEE FOR ELECTROTECHNICAL STANDARDIZATION (CENELEC)**

|           |                               |
|-----------|-------------------------------|
| <b>11</b> | <b>HEALTH CARE TECHNOLOGY</b> |
|-----------|-------------------------------|

| <b>CYSEN Document:</b>                   | <b>Title</b>  | <b>ICS1</b> | <b>Withdrawn</b> |
|--|---|-------------|------------------|
| CYS EN 60601-1-9:2008<br><b>/A1:2013</b> | Medical electrical equipment - Part 1-9: General requirements for basic safety and essential performance - Collateral Standard: Requirements for environmentally conscious design | 11.040      |                  |

|           |   |
|-----------|---|
| <b>13</b> | <b>ENVIRONMENT. HEALTH PROTECTION. SAFETY</b> |
|-----------|---|

| <b>CYSEN Document:</b> | <b>Title</b>  | <b>ICS1</b> | <b>Withdrawn</b>   |
|------------------------|---|-------------|--|
| CYS EN 50518-1:2013    | Monitoring and alarm receiving centre - Part 1: Location and construction requirements                | 13.320      | S/S CYS EN 50518-1:2010=W/D                                |
| CYS EN 50518-2:2013    | Monitoring and alarm receiving centre - Part 2: Technical requirements                                | 13.320      | S/S CYS EN 50518-2:2010, CYS EN 50518-2:2010 /AC:2011 =W/D |
| CYS EN 50518-3:2013    | Monitoring and alarm receiving centre - Part 3: Procedures and requirements for operation             | 13.320      | S/S CYS EN 50518-3:2011=W/D                                |
| CYS EN 61496-1:2013    | Safety of machinery - Electro-sensitive protective equipment - Part 1: General requirements and tests | 13.110      | S/S CYS EN 61496-1:2004=W/D                                |

|           |                               |
|-----------|-------------------------------|
| <b>29</b> | <b>ELECTRICAL ENGINEERING</b> |
|-----------|-------------------------------|

| <b>CYSEN Document:</b>                  | <b>Title</b>   | <b>ICS1</b> | <b>Withdrawn</b>                |
|---|--|-------------|---------------------------------|
| CYS EN 50290-2-23:2013                  | Communication cables - Part 2-23: Common design rules and construction - Polyethylene insulation for multi-pair cables used in access telecommunication networks: Outdoor cables | 29.035.20   | S/S CYS EN 50290-2-23:2001 =W/D |
| CYS EN 50290-2-25:2013                  | Communication cables - Part 2-25: Common design rules and construction - Polypropylene insulation compounds  | 29.035.20   | S/S CYS EN 50290-2-25:2002 =W/D |
| CYS EN 62271-4:2013                     | High-voltage switchgear and controlgear - Part 4: Handling procedures for sulphur hexafluoride (SF6) and its mixtures  | 29.130.10   | S/S CLC/TR 62271-303:2009=W/D   |
| CYS EN 60079-0:2012<br><b>/A11:2013</b> | Explosive atmospheres - Part 0: Equipment - General requirements   | 29.260.20   |                                 |

|                                 |   |           |  |
|---------------------------------|---|-----------|--|
| CYS EN 62606:2013               | General requirements for arc fault detection devices  | 29.120    |  |
| CYS EN 62567:2013               | Overhead lines - Methods for testing self-damping characteristics of conductors   | 29.060    |  |
| CYS EN 60076-3:2013             | Power transformers - Part 3: Insulation levels, dielectric tests and external clearances in air   | 29.180    | S/S CYS EN 60076-3:2001=W/D              |
| CYS EN 60927:2007 /A1:2013      | Auxiliaries for lamps - Starting devices (other than glow starters) - Performance requirements  | 29.140.30 |  |
| CYS EN 60947-5-3:2013           | Low-voltage switchgear and controlgear - Part 5-3: Control circuit devices and switching elements - Requirements for proximity devices with defined behaviour under fault conditions (PDDb)   | 29.130.20 | S/S CYS EN 60947-5-3:1999 + A1:2005 =W/D |
| CYS EN 61558-2-16:2009 /A1:2013 | Safety of transformers, reactors, power supply units and similar products for supply voltages up to 1 100 V - Part 2-16: Particular requirements and tests for switch mode power supply units and transformers for switch mode power supply units | 29.180    |  |

|           |                    |
|-----------|--------------------|
| <b>31</b> | <b>ELECTRONICS</b> |
|-----------|--------------------|

| <b>CYSEN Document:</b>          | <b>Title</b>   | <b>ICS1</b> | <b>Withdrawn</b>            |
|---------------------------------|--|-------------|-----------------------------|
| CYS EN 60252-1:2011 /A1:2013    | AC motor capacitors - Part 1: General - Performance, testing and rating - Safety requirements - Guidance for installation and operation  | 31.060.30   |                             |
| CYS EN 60252-2:2011 /A1:2013    | AC motor capacitors - Part 2: Motor start capacitors   | 31.060.30   |                             |
| CYS EN 60286-4:2013             | Packaging of components for automatic handling - Part 4: Stick magazines for electronic components encapsulated in packages of different forms   | 31.020      | S/S CYS EN 60286-4:1998=W/D |
| CYS EN 62610-4:2013             | Mechanical structures for electronic equipment - Thermal management for cabinets in accordance with IEC 60297 and IEC 60917 series - Part 4: Cooling performance tests for water supplied heat exchangers in electronic cabinets | 31.240      |                             |
| CYS EN 140101-806:2008 /A1:2013 | Detail Specification: Fixed low power film resistors - Metal film resistors on high grade ceramic, conformal coated or molded, axial or preformed leads  | 31.040.10   |                             |
| CYS EN 140401-801:2007 /A1:2013 | Detail specification: Fixed low power film SMD resistors - Rectangular - Stability classes 0,1; 0,25; 0,5; 1   | 31.040.10   |                             |
| CYS EN 140401-802:2007 /A2:2013 | Detail specification: Fixed low power film SMD resistors - Rectangular - Stability classes 1; 2  | 31.040.10   |                             |
| CYS EN 140401-804:2011 /A1:2013 | Detail Specification: Fixed low power film high stability SMD resistors - Rectangular - Stability classes 0,1; 0,25  | 31.040.10   |                             |

|           |  |
|-----------|--|
| <b>33</b> | <b>TELECOMMUNICATIONS. AUDIO AND VIDEO ENGINEERING</b> |
|-----------|--|

| <b>CYSEN Document:</b> | <b>Title</b>  | <b>ICS1</b> | <b>Withdrawn</b> |
|------------------------|---|-------------|------------------|
| CYS EN 50377-17-1:2013 | Connector sets and interconnect components to be used in optical fibre communication systems - Product specifications - Part 17-1: Type FPFT (factory polished field terminated) simplex connector factory terminated with EN 60793-2-50 category B1.3 fibre and field mounted onto IEC 60793-2-50 category B1.3 or B6a_1 or B6a_2 singlemode fibre, category C | 33.180.20   |                  |

|                              |   |           |   |
|------------------------------|---|-----------|---|
| CYS EN<br>61968-<br>100:2013 | Application integration at electric utilities - System interfaces for distribution management - Part 100: Implementation profiles | 33.200    |   |
| CYS EN<br>61169-1:2013       | Radio-frequency connectors - Part 1: Generic specification - General requirements and measuring methods                           | 33.120.30 | S/S CYS EN 61169-1: 1994 + A1:1996 + A2:1997 =W/D |
| CYS EN<br>61754-4:2013       | Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 4: Type SC connector family  | 33.180.20 | S/S CYS EN 61754-4: 1997 + A1:1999 + A2:2001 =W/D |
| CYS EN<br>61754-1:2013       | Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 1: General and guidance      | 33.180.20 | S/S CYS EN 61754-1: 1997=W/D                      |
| CYS EN<br>61754-6:2013       | Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 6: Type MU connector family  | 33.180.20 | S/S CYS EN 61754-6: 1997 + A1:2001 + A2:2005 =W/D |

|           |                            |
|-----------|----------------------------|
| <b>45</b> | <b>RAILWAY ENGINEERING</b> |
|-----------|----------------------------|

| <b>CYSEN Document:</b>             | <b>Title</b>   | <b>ICS1</b> | <b>Withdrawn</b> |
|------------------------------------|--|-------------|------------------|
| CYS CLC/TS<br>50591:2013           | Specification and verification of energy consumption for railway rolling stock   | 45.060.10   |                  |
| CYS EN<br>61881-3:2012<br>/A1:2013 | Railway applications - Rolling stock equipment - Capacitors for power electronics - Part 3: Electric double-layer capacitors | 45.060      |                  |
| CYS EN<br>62625-1:2013             | Electronic railway equipment - On board driving data recording system - Part 1: System specification                         | 45.060      |                  |

|           |                                    |
|-----------|------------------------------------|
| <b>87</b> | <b>PAINT AND COLOUR INDUSTRIES</b> |
|-----------|------------------------------------|

| <b>CYSEN Document:</b> | <b>Title</b>   | <b>ICS1</b> | <b>Withdrawn</b>                       |
|------------------------|--|-------------|--|
| CYS EN<br>50050-1:2013 | Electrostatic hand-held spraying equipment - Safety requirements - Part 1: Hand-held spraying equipment for ignitable liquid coating materials | 87.100      | S/S CYS EN 50050:2006 =W/D (partially) |
| CYS EN<br>50050-2:2013 | Electrostatic hand-held spraying equipment - Safety requirements - Part 2: Hand-held spraying equipment for ignitable coating powder           | 87.100      | S/S CYS EN 50050:2006 =W/D (partially) |
| CYS EN<br>50050-3:2013 | Electrostatic hand-held spraying equipment - Safety requirements - Part 3: Hand-held spraying equipment for ignitable flock                    | 87.100      | S/S CYS EN 50050:2006 =W/D (partially) |

|           |   |
|-----------|---|
| <b>97</b> | <b>DOMESTIC AND COMMERCIAL EQUIPMENT. ENTERTAINMENT. SPORTS</b> |
|-----------|---|

| <b>CYSEN Document:</b> | <b>Title</b>   | <b>ICS1</b> | <b>Withdrawn</b> |
|------------------------|--|-------------|------------------|
| CYS EN<br>50569:2013   | Household and similar electrical appliances - Safety - Particular requirements for commercial electric spin extractors | 97.060      |                  |

|                      |   |        |  |
|----------------------|---|--------|--|
| CYS EN<br>50570:2013 | Household and similar electrical appliances - Safety -<br>Particular requirements for commercial electric tumble dryers   | 97.060 |  |
| CYS EN<br>50571:2013 | Household and similar electrical appliances -Safety -<br>Particular requirements for commercial electric washing machines | 97.060 |  |

**ΔΙΟΡΘΩΣΕΙΣ/CORRIGENDA**

|  |   |
|--|---|
| CYS EN<br>60286-3:2013<br><b>/AC:2013</b>        | Packaging of components for automatic handling - Part 3: Packaging of surface mount components on continuous tapes        |
| CYS EN<br>60839-11-<br>1:2013<br><b>/AC:2013</b> | Alarm and electronic security systems - Part 11-1: Electronic access control systems - System and components requirements |